


# Z-16.6 OFF ROAD CARAVAN V.2.0

2016 TECHNICAL SPECIFICATIONS & UPGRADES



## ZX-16.6 OFF ROAD SPECIFICATIONS

### DIMENSIONS (mm)


Internal Length	5,030
External Travel Length	7,130
Internal Width	2,290
External Travel Width	2,400
Internal Height	1,980
External Travel Height	3,100

### WEIGHTS (kg)

Tare Weight	1,850
Tare Weight with options	1,850
ATM	2,800
Ball Weight	185

### WARRANTY (Years)

Nationwide Warranty Cover	3
Structural Warranty (Chassis and Body)	5



## ZX-16.6 OFF ROAD SPECIFICATIONS

### DETAILS

#### SPECIFICATION

#### UPGRADE

#### ADD

### BODY CONSTRUCTION

Zone RV's Closed Cell Composite Body

S

Panelock Bonding Technology

S

Seamless Front, Roof & Rear Composite Panel

S

Raptor-Coat Protective Shield

S

### FLOOR CONSTRUCTION

Infused P.E.T One-Piece Composite Floor Panel

S

### CHASSIS

RHS Duragal Steel Off Road Chassis with Laser cut folded members

S

Raptor Coating Protective Shield

S

Off Road Chassis Lift (50mm)

S

Levelling & Stabilizer Legs (x4)

S

Drawbar Extension (500 mm Maximum)

U

480

Drawbar Mounted Thule Bike Carrier & 500 mm Drawbar Extension

U

1,080

Drawbar Boat Motor Mount & 500 mm Drawbar Extension

U

1,950

Hot Dipped Galvanising to Chassis

U

1,800

### SUSPENSION

Vehicle Components XT-Coil Single Axle

S

Vehicle Components XT-Air Bag Suspension \_ Stage 4 Auto Level Control

U

4,400

Vehicle Components XT-Air Bag Suspension \_ Stage 3 Manual Control

U

3,800

Vehicle Components ATX Suspension Upgrade

U

1,200

**ZX-16.6 OFF ROAD SPECIFICATIONS**

	<b>SPECIFICATION</b>	<b>UPGRADE</b>	<b>ADD</b>
<b>BRAKES</b>			
Electric Drum 12" AL-KO Brakes	S		
Electric/Hydraulic Disk Brakes (Not Compatible with ESC)	U	2,800	
<b>TOWING</b>			
DO-35 Hitchmaster V2 Articulating Hitch	S		
Dexter Electronic Stability Control (ESC)	S		
Brakesafe Break Away System	S		
Front Protection Stone Guard and Mud Flaps	S		
Double Lens (Wide Angle Travel & Reversing Zoom) Reverse Camera & Vehicle Monitor Kit	S		
<b>WHEELS &amp; TYRES</b>			
Off Road Alloy Wheels _ 16" x 8" & 265/75/16 AT Tyres	S		
Rear Mounted Standard Spare Wheel	S		
Rear Mounted Spare Wheel Carrier only	U	350	
Second Spare Wheel & Mount	U	550	
17" 6X139.7 Variable off-set Ranger ect match	SET OF 5 U	835	
18" LC200 Match with 265/65 R18 A/T	SET OF 5 U	1650	
WHEEL NOTE: STD WHEELS - SPEEDY OUTLAW 16x8" ALLOY			
TYRE NOTE: STD TYRES - FALKEN WILDPEAK 265/75 R16 A/T			
<b>EXTERNAL FEATURES</b>			
Electric Double Entry Steps	S		
Front Storage Tool Box With Generator Slide (for 2KVA Generator)	S		
External Lockable Water Tap	S		
Twin 4.5kg Gas Bottles & External Gas Bayonet	S		
European Triple Seal Access Hatches	S		
Large Front Boot Storage With Internal Lighting & 12V Power Outlet	S		
Twin LED Awning Lights with Mosquito Deterrent Control	S		

**ZX-16.6 OFF ROAD SPECIFICATIONS**

	SPECIFICATION	UPGRADE	ADD
Twin Front Narva Spotlights	S		
Fold-Down Picnic Table Plus External Entertainment Locker & Services	S		
WEBBER BBQ articulating slide in Front Boot Storage Area	U	650	
Upgrade to 9kg gas bottles x 2	U	150	
ZONE Slide-Out Kitchen, 3 Burner/ sink/ BBQ stand and draws	U	2,650	
Rear-To-Roof Access Ladder (Folding 10 Step)	U	540	
Twin Lockable Jerry Can Holders Fitted to Front Storage Box	U	300	
Extra External LED Lights -	U	250	
<b>AWNING</b>			
Dometic Sunchaser Pull-Out Awning - 4,800 mm	S		
Drivers Side Sail Track for Off-Side Awning	S		
Anti-Flap Kit & Wall Mount Brackets	U	450	
Single Awning Centre Tension Rails	U	165	
Awning arm protection pads	U	325	
Full Annexe (Fitted) including hardware	U	2250	
Vertical Sail Tracks for Awning Wall Fitting -	U	250	
<b>INTERNAL COOLING &amp; HEATING</b>			
Truma Grande Air Conditioning (Reverse Cycle)	S		
Fantastic Roof Vent (Thermostat Control & Pull/Push Air Flow)	S		
Sirocco Wall Mounted 12V Fan	S		
Eberspacher 12V Diesel Air Heater	U	2,500	
Combo Gas Truma HWS/ Air Heater	U	2,200	
Dometic Saphir Under-Mount Air Conditioner (To Reduce Height)	U	480	
Additional Sirocco Wall Mounted Fan	U	290	

## ZX-16.6 OFF ROAD SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD
<b>WINDOWS, ENTRY DOOR &amp; HATCHES</b>			
Dometic CaraD Premium Quad Lock Entry Door	S		
Dometic Sietz S4 Double Glazed Tint Windows	S		
European Triple Sealed External Access Hatch Doors	S		
<b>INTERNAL LAYOUTS</b>			
Café Style Lounge & Entertainment Console	S		
Dropaway Table for Seating Bed Area	S		
Complete LED Internal Lighting & Dimmer Controls	S		
Front of Axles Door Entry	S		
Lounge Area Bed <b>Insert</b> to Convert Seats to Bed LEATHER	U	450	
<b>CABINERY</b>			
Zone RV's Unique Aluminium/Composite Cabinetry System With sandwich panel updates	S		
Positive Locking Smooth Pull Latches	S		
Self-Closing Drawer Runners (45kg Rating Each)	S		
Overhead Locker Storage in Kitchen, Living, Over Bed & Ensuite with Twin Gas Strut Assist	S		
	U		
<b>KITCHEN</b>			
Under Bench Storage Cupboards Including Small Pull-Out Pantry Unit	S		
Thetford Euro Topline 3 x Gas Burner Cooktop	S		
Vitrifrigo 148L Compressor Stainless Steel Drawer Fridge/Freezer	S		
Fully Dust-Proof Sealed Fridge Venting & Stationary Cooling Hatch with Compressor Access	S		
Synthetic Stone Benchtops with Large Workspaces	S		
Samsung Microwave Mounted in Overheads	U	290	

**ZX-16.6 OFF ROAD SPECIFICATIONS**

	SPECIFICATION	UPGRADE	ADD
<b>BED AREA</b>			
Full Queen, Short Queen or Bolster-Folding Innerspring Bed with Lift-Up Storage Area	S		
Twin Bedside Hanging Wardrobe Storage and Bedside Drawers	S		
Overhead Locker Storage	S		
Padded Upholstered Bed Head	S		
Pillow Top with Memory Foam, Postropedic Mattress Upgrade	U	760	
His and Hers fabric under bed dividers	U	415	
<b>ENSUITE</b>			
Large Internal Shower Cubicle & Extracting 12V Roof Fan	S		
Dometic Cassette Toilet System & SOG Filter (19L Capacity)	S		
Ceramic Vanity Basin With Stylish Mixer	S		
Double Towel Rail	S		
Large Storage in Overhead Cabinets and Under Vanity Drawers and Cupboard Area	S		
Wall Mounted Daweoo Washing Machine	U	1350	
<b>POWER</b>			
Twin 120 AH AGM Battery Package	S		
Enerdrive ePOWER 40A 12V Charging, 30A Enerdrive DC-DC Charger & Solar Management	S		
400W Flexible Lightweight Solar System (Air-Cooled for Maximum Efficiency)	S		
Drifter Battery Monitor (Includes Water Tank Level Indicators)	S		
Internal & External 240V, 12V and USB Power Points	S		
50A Anderson Plug for Vehicle Charging	S		

## ZX-16.6 OFF ROAD SPECIFICATIONS

	SPECIFICATION	UPGRADE	ADD
Enerdrive 200AH Lithium Battery Package	U	4950	
Enerdrive 300AH Lithium Battery Package	U	6950	
Additional 100W Solar Panel (Roof-Mounted)	U	380	
ePro 2000W Inverter - Auto Switch Over at GPO Points	U	2800	
Third 120AH AGM Battery	U	420	
Additional Internal Double GPO, 12V Socket or USB Power Points	U	150	
Additional External GPO, 12V Power Points	U	180	
2KVA Promac Generator Fitted to Generator Slide	U	1260	
Add 45A Tristar Controller to manage roof solar input	U	415	
<b>H2O</b>			
Fresh Water Storage 200L - Twin 100L Food Grade Poly Aluminium Armoured Water Tanks	S		
Grey Water Storage 100L - 100L Food Grade Poly Aluminium Armoured Water Tank	S		
Gas/240V Truma Gas Hot Water System	S		
Shurflow 12V Water Pump	S		
Internal Isolation Taps for Water Control	S		
Drifter Water Level Monitor (Includes Power Monitor Indicators)	S		
Mains Water Pressure System	S		
In-Line Cassette Water Filter	S		
External Hot/Cold Shower	S		
Water Tank Isolation System for Drinking Water (Separate Shurflow 12V Pump, Water Lines, Cassette Filter and 3-way Tap Upgrade)	U	680	
Additional 70L Fresh Water Tank & Aluminium Tank Armour	U	380	
Creek water pull system from on-board pump	U	450	



## ZX-16.6 OFF ROAD SPECIFICATIONS

					SPECIFICATION	UPGRADE	ADD
<b>ENTERTAINMENT</b>							
Fusion Black Box Stereo System with Internal/External Speakers (AM/FM, Bluetooth, USB, Auxiliary Input Points)					S		
TV/DVD 24" High Definition 12V					S		
Internal and External TV Mounts and Reception/Power Points					S		
Roof-Mounted Jack Digital TV Antenna with Internal Signal Control					S		
Input Point for External TV Reception					S		
VANSAT Bluestar Automatic TV Satellite System Including VAST Decoder					U	4950	
Fusion External Stereo Remote					U	299	
RV-Wifi system (uses 4G pre-paid dongle)					U	699	
4G Mobile signal boosting system with whip antenna					U	1750	
<b>INTERNAL COLOURS</b>							
Colour Option	Primary Laminate	Secondary Laminate	Flooring	Splash	Leather		
Manhattan	Titanium (M)	Amaro (M)	Grey Brushed Oak 2093	Titan	Platinum Metallic		
Oslo	Marni Lini (M)	Zircon Shimmer	Natural Oak 3479	Tusk	Hemp		
Bannockburn	Smoke Shimmer (G Parchmant (M)		HC Wood Grey 3475	Malt	Hemp		
Newport	Cashmare (G)	Zircon Shimmer	Vintage Oak Grey 3474	Macchiat	Luna Metallic		
Leather Upholstery Lounge and Bed-Head					S		
Lumber Support Seating Profile Upgrade					S	0	

ZX-16.6 OFF ROAD SPECIFICATIONS

NOTES TO ORDER

---

UPGRADE

## ZX-16.6 OFF ROAD SPECIFICATIONS

### PRICING

---

<b>ZONE RV Z-16.6 Off Road</b>	<b>\$94,900.00</b>
<b>Upgrades Pricing</b>	<b>\$0.00</b>
<b>Total Price Including Upgrades</b>	<b>\$94,900.00</b>

The price indicated on this quote is valid for 30 days from the date generated:

### GET IN THE ZONE

---

To secure a ZONE RV delivery position on the terms of this quote a \$ 1,000.00 confirmation/holding deposit is required. The holding confirmation deposit will secure a delivery position and the price specified. Final specifications, upgrades and colours are required to be finalised and signed-off 12 weeks prior to the completion date of your caravan. Full details and key dates will be supplied in your ZONE RV Customer Pack.

### EXPERIENCE ZONE RV

---

For more information and details regarding the specifications of the ZONE RV ZX-16.6 Off Road contact one of our expert team on 1300 134 446 or email [sales@zonerv.com.au](mailto:sales@zonerv.com.au). We invite our customers the opportunity to experience a walkthrough of the ZONE RV Design & Manufacturing Facility based on the Sunshine Coast, bookings are essential please contact our team to make an appointment.

### CONFIRMATION

---

#### Customer Sign Off

To confirm the order and lock-in the optional extras please sign & date this form. Please Note: During production of your caravan there will be no changes or adjustments accepted, please review this form carefully before sign-off.

---

Signed

---

Date









